

Please write clearly in	n block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	,

GCSE COMBINED SCIENCE: TRILOGY

Foundation Tier Biology Paper 1F

Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator.

Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.


Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Exam	iner's Use
Question	Mark
1	
2	
3	
4	
5	
6	
TOTAL	










0 1.3	Which term describes the pH in the stomach?	Do not write outside the box
	Give one reason why the stomach is this pH.	
	[2 marks] Tick (✓) one box.	
	Acidic	
	Alkaline	
	Neutral	
	Reason	
01.4	Which organ produces bile? [1 mark]	
	Tick (✓) one box.	
	Large intestine	
	Liver	
	Mouth	
	Pancreas	
	Question 1 continues on the next page	
	Question i continues on the next page	



● 1.5 How does bile help in the digestion of foods? [1 mark] Tick (✓) one box. It increases the surface area of fats. It increases the surface area of fats. It increases the surface area of fats. It is an enzyme that digests protein. It is an enzyme that digests protein. It makes the pH in the small intestine acidic. It makes the pH in the small intestine acidic. ● 1.6 Draw one line from each food molecule to the reagent used to test for the food molecule. [2 marks] Food molecule Reagent Protein Benedict's solution Starch Biuret reagent	0 1.5 How does bile help in the digestion of foods? [1 mark] Tick (~) one box. It increases the surface area of fats. It is an enzyme that digests protein. It is an enzyme that digests protein. It makes the pH in the small intestine acidic. 0 1.6 Draw one line from each food molecule to the reagent used to test for the food molecule. Food molecule Reagent				
Tick (<) one box.	Tick (*) one box. It increases the surface area of fats. It is an enzyme that digests protein. It makes the pH in the small intestine acidic. A student tested different foods for the presence of protein, starch and sugar. 0 1 . 6 Draw one line from each food molecule to the reagent used to test for the food molecule. Food molecule Reagent Protein Benedict's solution Starch Biuret reagent	0 1.5	How does bile help in the dig		Do noi outsia bo
It is an enzyme that digests protein. It makes the pH in the small intestine acidic. A student tested different foods for the presence of protein, starch and sugar. Image: Image	It is an enzyme that digests protein. It makes the pH in the small intestine acidic. A student tested different foods for the presence of protein, starch and sugar. 0 1.6 Draw one line from each food molecule to the reagent used to test for the food molecule. 1 1.6 Draw one line from each food molecule to the reagent used to test for the food molecule. 1 1.6 Draw one line from each food molecule to the reagent used to test for the food molecule. 1 1.6 Draw one line from each food molecule to the reagent used to test for the food molecule. 1 1.6 Draw one line from each food molecule to the reagent used to test for the food molecule. 1 2 marks] Food molecule Protein Benedict's solution Biuret reagent		Tick (✓) one box.		
It makes the pH in the small intestine acidic. A student tested different foods for the presence of protein, starch and sugar. A student tested different food molecule to the reagent used to test for the food molecule. [2 marks] Food molecule Protein Benedict's solution	It makes the pH in the small intestine acidic. A student tested different foods for the presence of protein, starch and sugar. A student tested different food molecule to the reagent used to test for the food molecule. [2 marks] Food molecule Protein Benedict's solution Starch Biuret reagent		It increases the surface area	of fats.	
A student tested different foods for the presence of protein, starch and sugar. A student tested different foods for the presence of protein, starch and sugar. Draw one line from each food molecule to the reagent used to test for the food molecule. [2 marks] Food molecule Reagent Benedict's solution	A student tested different foods for the presence of protein, starch and sugar. A student tested different food molecule to the reagent used to test for the food molecule. [2 marks] Food molecule Protein Benedict's solution Biuret reagent Sugar		It is an enzyme that digests p	protein.	
0 1 . 6 Draw one line from each food molecule to the reagent used to test for the food molecule. [2 marks] Food molecule Reagent Protein Benedict's solution	0 1.6 Draw one line from each food molecule to the reagent used to test for the food molecule. Food molecule [2 marks] Food molecule Reagent Protein Benedict's solution Starch Biuret reagent		It makes the pH in the small	intestine acidic.	
0 1 . 6 Draw one line from each food molecule to the reagent used to test for the food molecule. [2 marks] Food molecule Reagent Protein Benedict's solution	0 1.6 Draw one line from each food molecule to the reagent used to test for the food molecule. Food molecule [2 marks] Food molecule Reagent Protein Benedict's solution Starch Biuret reagent				
0 1 . 6 Draw one line from each food molecule to the reagent used to test for the food molecule. [2 marks] Food molecule Reagent Protein Benedict's solution	0 1.6 Draw one line from each food molecule to the reagent used to test for the food molecule. Food molecule [2 marks] Food molecule Reagent Protein Benedict's solution Starch Biuret reagent				
food molecule. [2 marks] Food molecule Reagent Benedict's solution	food molecule. [2 marks] Food molecule Reagent Benedict's solution Protein Starch Biuret reagent		A student tested different for	ods for the presence of protein, starch and sugar.	
[2 marks] Food molecule Reagent Protein Benedict's solution	[2 marks] Food molecule Reagent Protein Benedict's solution Starch Biuret reagent	0 1 . 6		d molecule to the reagent used to test for the	
Protein Benedict's solution	Protein Benedict's solution Starch Biuret reagent		lood molecule.	[2 marks]]
Protein	Protein Starch Biuret reagent		Food molecule	Reagent	
Protein	Protein Starch Biuret reagent				
Protein	Protein Starch Biuret reagent				
	Starch Biuret reagent Sugar		Protein	Benedict's solution	
Starch Biuret reagent	Sugar				
	Sugar		Starch	Biuret reagent	
	Sugar Iodine solution				
Sugar	lodine solution		Sugar]	
lodine solution				Iodine solution	




0 1.7	Give one	safety precaution a	student should take	e when using	Benedict's solu	ution. [1 mark]
1.8	Table 1 s	hows the results for	one food sample.			
			Table 1			
		Test	Benedict's test	Biuret test	lodine test	
		Colour after test	Red	Blue	Black	
	Which of Tick (✔) c	the tests show positi one box.	ve results?			[1 mark]
	All three t	ests				
	Benedict's	s and Biuret tests on	ly			
	Benedict's	s and iodine tests on	lly			
	Biuret and	d iodine tests only				
0 1.9	Starch mo	plecules are not abso	orbed into the blood	d from the dig	estive system.	
	Give one	reason why.				[1 mark]






02.3	A student viewed a section of a leaf using a microscope.
	The student measured the length of one of the palisade cells.
	The cell image measured 28 mm in length when viewed at a magnification of ×400
	Calculate the real length of the palisade cell in millimetres (mm).
	Use the equation:
	real length = $\frac{\text{image length}}{\text{magnification}}$ [3 marks]
	Real length = mm
	Convert the real length of the cell from millimetres to micrometres (μ m).
	1 mm = 1000 µm
	Real length = μm
02.4	Carbon dioxide can move into and out of cells.
	What is the process by which carbon dioxide can move into and out of cells?
	What is the process by which carbon dioxide can move into and out of cells? [1 mark] Tick (✓) one box.
	[1 mark]
	[1 mark] Tick (✓) one box.
	Tick (✓) one box. [1 mark] Active transport
	Tick (✓) one box. [1 mark] Active transport










1	2.7	Give two variable	s the student shou	Ild keep the same in this investiga	ation. [2 marks]
Table 2 shows the results. Table 2 Colour of light Rate of photosynthesis in arbitrary units Blue 9		1			
Table 2Colour of lightRate of photosynthesis in arbitrary unitsBlue9		2			
Table 2Colour of lightRate of photosynthesis in arbitrary unitsBlue9					
Table 2Colour of lightRate of photosynthesis in arbitrary unitsBlue9					
Table 2Colour of lightRate of photosynthesis in arbitrary unitsBlue9					
Colour of lightRate of photosynthesis in arbitrary unitsBlue9		Table 2 shows th	e results.		
Blue 9			r	Table 2	
			Colour of light	Rate of photosynthesis in arbitrary units	
Green 1			Blue	9	
			Green	1	
Red 8			Red	8	








	This question is about disease.	Do not write outside the box
0 3		box
03.1	Rose black spot is a disease where black spots develop on the leaves of rose plants. What type of pathogen causes rose black spot disease? [1 mark] Tick (✓) one box.	
	Bacterium	
	Fungus	
	Protist	
	Virus	
03.2	Plants with rose black spot disease often have yellow leaves. Suggest one reason why the leaves are yellow instead of green. [1 mark]	
03.3	Explain why plants with yellow leaves grow slowly. [2 marks]	









	Takanan mlamta many kanana infanta duuitkan matkanan asllad TAAA	Do not write outside the
0 3 . 5	Tobacco plants may become infected with a pathogen called TMV.	box
	What type of pathogen is TMV? [1 ma	rk]
	Tick (✓) one box.	
	Bacterium	
	Fungus	
	Protist	
	Virus	
	Malaria is a disease caused by a protist.	
03.6	How is the malaria pathogen transferred to humans? [1 ma	rk]
		—
03.7	How can the spread of malaria pathogens be reduced?	rk]
	Tick (✓) one box.	
	Avoid sexual contact	
	Cook food thoroughly	
	Drain water from swamps	
	Use a tissue when sneezing	9












	Cigarette smoking has been linked to many different types of cancer.	Do not write outside the box
04.3	Lung cancer is the most common type of cancer caused by smoking.	
	Suggest one reason why. [1 mark]	
04.4	A person with lung cancer can develop secondary cancers in other parts of the body.	
	Describe how this can happen. [1 mark]	
0 4 . 5	Sometimes a person may need a lung transplant.	
	The National Health Service (NHS) will not offer a lung transplant to a person who smokes.	
	Suggest one reason why. [1 mark]	
	Question 4 continues on the next page	




17





0 4 . 7	There are no new cases of skin cancer diagnosed in males younger than 15 years of age.		Do not write outside the box
	Suggest one reason why.	[1 mark]	
04.8	Give one conclusion from the data in Figure 6 .	[1 mark]	
04.9	Survival rates for all types of cancers have improved over the last 20 years. Suggest two reasons why.		
	1 2	[2 marks]	
	Turn over for the next question		10








0 5	Bacteria can cause a variety of diseases in humans.	Do not write outside the box
0 5.1	What are two similarities between a bacterial cell and an animal cell? [2 marks]	
	Tick (✓) two boxes.	
	Both have a cell membrane.	
	Both have a cell wall.	
	Both have a nucleus.	
	Both have cytoplasm.	
	Both have plasmids.	
0 5.2	Salmonella food poisoning is caused by bacteria in food.	
	Give one symptom of salmonella food poisoning.	
	Do not refer to vomiting or diarrhoea in your answer. [1 mark]	
	Question 5 continues on the next page	










			Do not writ
0 5.4	The concentration of live bacteria in the body continued to increase after starting the course of antibiotics.		
	Suggest one reason why.	[1 mark]	
0 5.5	After 3 days of taking the antibiotic:		
	the child felt better		
	 there were still bacteria in the child's body. 		
	Why did the child feel better?	[1 mark]	
	Tick (✓) one box.		
	Bacteria had become immune to the antibiotic.		
	The child had become resistant to the bacteria.		
	There were fewer toxins in the body than at day 0		
05.6	Suggest why doctors do not give antibiotics to patients with minor infections.	[1 mark]	
	Question 5 continues on the next page		















IB/M/Jun22/8464/B/1F










IB/M/Jun22/8464/B/1F

	Compare the growth of boys with the growth of girls.	Do not write outside the box
	Use data from Figure 11 in your answer. [6 marks]	
0 6.7	Give one way that cell division by mitosis is important in fully grown animals.	
	[1 mark]	[]
		14
	END OF QUESTIONS	







	Do not write outside the
Additional page, if required. Write the question numbers in the left-hand margin.	box

.....

Question number

	Do not write outside the		
Additional page, if required. Write the question numbers in the left-hand margin.			

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright $\ensuremath{\textcircled{O}}$ 2022 AQA and its licensors. All rights reserved.





Question number