Please write clearly in	ו block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	

GCSE COMBINED SCIENCE: TRILOGY

Higher Tier Chemistry Paper 2H

Wednesday 10 June 2020

Morning

Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

IB/M/Jun20/E10





For Examiner's Use

8464/C/2H

0 1	This question is about the Earth's resources.	Do not write outside the box
	When most fuels burn carbon dioxide is produced. Propane (C_3H_8) is a fuel.	
01.1	Balance the equation for the combustion of propane. [1 mark]	
	$C_3H_8 + \O_2 \rightarrow 3CO_2 + 4H_2O$	
01.2	Describe the test for carbon dioxide.	
	Give the result of the test. [2 marks]	
	Test	
	Result	
0 1.3	Propane can be cracked to produce propene and hydrogen.	
	Complete the symbol equation for the reaction. [1 mark]	
	$\begin{array}{ccc} C_3H_8 \rightarrow & \underline{\qquad} & + H_2 \\ propane & propene & hydrogen \end{array}$	



_

0 1 . 4	Describe the test for hydrogen.	
	Give the result of the test.	[2 marks]
	Test	
	Result	
0 1.5	Propene is an alkene.	
	Describe the test for alkenes.	
	Give the colour change in the test.	[3 marks]
	Test	[
	Colour change to	
	Turn over for the next question	
	rum over for the next question	
		Turn over ►

Do not write outside the

02Some students investigated the effect of temperature on the rate of reaction.021The students reacted sodium thiosulfate solution with hydrochloric acid.This is the method used.

- 1. Use a beaker to measure 50 cm³ of heated sodium thiosulfate solution into a conical flask.
- 2. Measure the temperature of the room.
- 3. Put the conical flask on a black cross drawn on a piece of paper.
- 4. Start a timer.
- 5. Use the same beaker to measure 10 cm³ of hydrochloric acid into the conical flask.
- 6. Stop the timer when the cross is no longer visible.

The students repeated the experiment at a different room temperature.

Figure 1 shows the apparatus.







Do not write outside the

The method contains errors and does not produce accurate results.		Do not write outside the box
Describe a method the students should use to produce accurate results.		
You do not need to write about safety precautions.		
	[6 marks]	
Question 2 continues on the next page		







02.2	Calculate the mean rate of reaction between 1 minute and 3 minutes at 40 ° Use Figure 2 and the equation:	Ċ	Do not write outside the box
	Mean rate of reaction = $\frac{\text{change in mass of gas in g}}{\text{time in mins}}$	[3 marks]	
	Mean rate of reaction =	g/min	
02.3	Draw a curve on Figure 2 for the results you would expect at a temperature 50 °C instead of 40 °C	of [2 marks]	11
	Turn over for the next question		
	Т	urn over 🕨	



0 3	This question is about pollutants.	Do not write outside the box
03.1	Waste water has harmful substances removed before being released into the environment.	
	Complete the sentences. [2 marks]	
	Agricultural waste water requires the removal of harmful	
	Industrial waste water may require the removal of harmful	
03.2	How is sewage sludge treated before being released into the environment?	
	Tick (✓) one box.	
	Aerobic biological treatment	
	Anaerobic digestion	
	Grit removal	
	Screening	



Question 3 continues on the next page	
Question 3 continues on the next page	
Question 3 continues on the next page	
Question 3 continues on the next page	
Question 3 continues on the next page	
Question 3 continues on the next page	
Question 3 continues on the next page	
Question 3 continues on the next page	
Question 3 continues on the next page	
Question 3 continues on the next page	
Percentage decrease =%	
Calculate the percentage decrease in the number of plastic bags used. [3 marks]	
were used.	
In one year 8.0 billion plastic bags were used.	
Hydrocarbons are used to make polymers. Polymers are used to make plastic bags.	outside th box
Hydrocarbons are used to make polymers. Polymers are used to make plastic bags. In one year 8.0 billion plastic bags were used.	1
	Hydrocarbons are used to make polymers. Polymers are used to make plastic bags. In one year 8.0 billion plastic bags were used. The next year there was a charge for plastic bags and only 1.3 billion plastic bags were used. Calculate the percentage decrease in the number of plastic bags used. [3 marks] Percentage decrease =%











A student investigated the mass of dissolved solids in four water samples **A**, **B**, **C** and **D**.

Figure 4 shows the apparatus used.



This is the method used.

- 1. Record the mass of a dry evaporating basin.
- 2. Pour 25 cm³ of water sample **A** into the evaporating basin.
- 3. Place the evaporating basin on the beaker for 10 minutes.
- 4. Record the mass of the evaporating basin and contents.
- 5. Repeat steps 1 to 4 with water sample **A** three more times.
- 6. Repeat steps 1 to 5 with water samples **B**, **C** and **D**.



Do not write outside the

04.1	What type of variable is the mass of dissolved solids? Tick (✓) one box. Categoric Control Dependent Independent	Do not write outside the box
04.2	The method produced an error in the mass recorded in step 4. Suggest what caused the error. How could the error be avoided? [2 marks] Error Avoided by Question 4 continues on the next page	



Table 1 shows the results. Table 1 Water Mass of dissolved solids in g sample Test 1 Test 2 Test 3 Test 4 Mean Α 0.22 0.23 0.20 Х 0.21 В 0.03 0.08 0.02 0.03 0.04 С 0.45 0.60 0.49 0.58 0.53 D 0.86 0.80 0.91 0.79 0.84 04. Calculate value X in Table 1. 3 [2 marks] **X** = ______ g Which water sample has the greatest range of masses of dissolved solids? 0 4 . 4 Give the reason for your answer. [2 marks] Water sample_____ Reason



Do not write outside the

box

IB/M/Jun20/8464/C/2H

Another student carried out the investigation correctly.

04.5	Water companies measure the volume of water used by households in cubic metres (m ³).	Do not write outside the box
	25 cm ³ of a different water sample contained 0.016 g of dissolved solids.	
	Calculate the mass of dissolved solid in 1 m ³ of this water sample.	
	$1 \text{ m}^3 = 1000 \text{ dm}^3$	
	Give your answer in standard form. [4 marks]	
	Mass (in standard form) = g	11
	Turn over for the next question	
		1



0 5	This question is about crude oil and alkanes.	Do not write outside the box
0 5.1	Describe how crude oil is formed. [3 marks]	
0 5.2	Describe how crude oil is separated into fractions by fractional distillation. [4 marks]	



Table 2 Alkanes Boiling point in °C CsH12 36 C10H22 174 C15H32 271 [1 mark]					
Alkanes Boiling point in °C C ₆ H ₁₂ 36 C ₁₀ H ₂₂ 174 C ₁₅ H ₃₂ 271 5.3 What is the general formula for alkanes? [1 mark]				Table 2	
C ₅ H ₁₂ 36 C ₁₀ H ₂₂ 174 C ₁₅ H ₃₂ 271 5.3 What is the general formula for alkanes? [1 mark]		Alk	anes	Boiling point in °C	
C ₁₀ H ₂₂ 174 C ₁₅ H ₃₂ 271 5.3 What is the general formula for alkanes? [1 mark]		C₅H	H ₁₂	36	
C15H32 271 5.3 What is the general formula for alkanes? [1 mark]		C ₁₀	H ₂₂	174	
5.3 What is the general formula for alkanes? [1 mark]		C ₁₅	H ₃₂	271	
	5.3	What is the general formula for	ralkane	es?	[1 mark]
	-				
	-				











IB/M/Jun20/8464/C/2H

19





06.3	Describe the processes that have caused the main changes in the percentage of carbon dioxide in the Earth's atmosphere over the last 4.6 billion years.	Do not write outside the box
	Use Figure 6. [6 marks]	
		10
	Turn over for the next question	



			Do not write
0 7	This question is about equilibrium.		outside the box
0 7.1	Describe how a reaction reaches equilibrium.	[2 marks]	
	Nitrogen dioxide gas reacts to form dinitrogen tetraoxide gas.		
	The reaction is reversible.		
	The equation for the reaction is:		
	$2 \text{ NO}_2(g) \rightleftharpoons \text{N}_2\text{O}_4(g)$		
0 7 2	Explain the effect on the equilibrium position of increasing the pressure.		
		[2 marks]	











Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.





Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.





IB/M/Jun20/8464/C/2H