Please check the examination details below before entering your candidate information					
Candidate surname		Other names			
Centr	re Number	Candidate Number			
Pearson Edexcel Level 1/Level 2 GCSE (9–1)					
Wednesday 12 J	lune	2019			
Morning (Time: 1 hour 10 minutes)	Paper Re	eference 1SC0/2CH			
Combined Science					
Paper 5: Chemistry 2					
		Higher Tier			
You must have: Calculator, ruler		Total Marks			

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

Information

- The total mark for this paper is 60.
- The marks for each question are shown in brackets
 use this as a guide as to how much time to spend on each question.
- In questions marked with an asterisk (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.
- A periodic table is printed on the back cover of this paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



P60247A
©2019 Pearson Education Ltd.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

- 1 Most of the fuels used today are obtained from crude oil.
 - (a) Which statement about crude oil is correct?

(1)


- **B** crude oil is a mixture of hydrocarbons
- C crude oil contains different hydrocarbons, all with the same molecular formula
- **D** crude oil is an unlimited supply of hydrocarbons
- (b) Crude oil is separated into several fractions by fractional distillation. Two of these fractions are kerosene and diesel oil.
 - (i) State a use for each of these fractions.

(2)

kerosene

diesel oil

(ii) Figure 1 shows where the fractions kerosene and diesel oil are produced in the fractionating column.



Kerosene is obtained higher up the column than diesel oil. Kerosene and diesel oil fractions have slightly different properties.

Choose a property.

State how this property for kerosene compares with the property for diesel oil.

(1)

property _____

comparison

(c) Figure 2 shows the formulae of a molecule of butane and of a molecule of pentane. Butane and pentane are neighbouring members of the same homologous series.




Figure 2

(i) Explain, using these formulae, why butane and pentane are neighbouring members of the same homologous series.

(2)

(ii) Butane has the formula C_4H_{10} .

Calculate the mass of carbon in 100 g of butane.

Give your answer to three significant figures. (relative atomic masses: H = 1.00, C = 12.0;

relative formula mass: $C_4H_{10} = 58.0$)

You must show your working.

(3)

(Total for Question 1 = 9 marks)

2 (a) An aluminium atom has the atomic number 13 and the mass number 27.

Which row shows the numbers of subatomic particles present in an aluminium ion, Al³⁺?

(1)

	protons	neutrons	electrons
Α	13	14	13
В	13	14	10
C	14	13	10
D	14	13	17

X

X

X

(b) Magnesium burns in excess oxygen to form magnesium oxide. The balanced equation for this reaction is

$$2Mg + O_2 \rightarrow 2MgO$$

Starting with 1.35g of magnesium, calculate the maximum mass of magnesium oxide that could be formed in this reaction. (relative atomic masses: O = 16.0, Mg = 24.0)

You must show your working.

(3)

(c) Chlorine reacts with hydrogen to form hydrogen chloride.

Write the balanced equation for this reaction.

(3)

mass of magnesium oxide =g

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(d) Sodium reacts with chlorine to form sodium chloride.

The electronic configuration of the sodium atom is 2.8.1 and the electronic configuration of the chlorine atom is 2.8.7.

Give the electronic configurations of the ions formed.

(2)

Na⁺

Cl⁻

(Total for Question 2 = 9 marks)

NOT WRITE IN THIS AREA

- 3 (a) Carbon dioxide is one of the gases in the Earth's atmosphere.
 The percentage of carbon dioxide in the Earth's atmosphere has changed over time.
 - (i) Which row of the table shows the approximate percentage of carbon dioxide thought to be in the Earth's early atmosphere and how this percentage changed to form the Earth's atmosphere today?

(1)

	approximate percentage of carbon dioxide in the Earth's early atmosphere	change in percentage carbon dioxide to form the Earth's atmosphere today.
1	5	increased
3	5	decreased
	95	increased
)	95	decreased

(ii) The actual percentage of carbon dioxide in the Earth's atmosphere today varies.

Explain **two** factors that cause the percentage of carbon dioxide in today's atmosphere to vary.

(4)

ı	
ı	
ı	
ı	
ı	factor 2
ı	
ı	
I	

A

В

C

D



DO NOT WRITE IN THIS AREA

b) Carbon dioxide is a simple molecular, covalent compound.	
It has a low boiling point of -78.5° C.	
Explain why carbon dioxide has a low boiling point.	(2)
c) Calculate the number of molecules in 0.11 g of carbon dioxide.	
Give your answer to two significant figures.	
(relative formula mass : $CO_2 = 44$ Avogadro constant = 6.02×10^{23})	(0)
	(3)
number of molecu	les =
(Total for Que	stion 3 = 10 marks)



DO NOT WRITE IN THIS AREA

- **4** Some of the elements in the periodic table are metals.
 - (a) The electronic configuration of a metal is 2.8.3

Which row shows the group and period of the periodic table where this metal is found?

(1)

	group	period
⊠ A	2	3
■ B	2	8
⊠ C	3	2
□ D	3	3

- (b) Lithium, potassium and rubidium are alkali metals.
 - (i) Describe what you would see when a small piece of rubidium is dropped on to water.

(2)

(ii) The electronic configuration of lithium is 2.1 The electronic configuration of potassium is 2.8.8.1 Lithium is less reactive than potassium.

Explain, in terms of their electronic configurations, why lithium is less reactive than potassium.

(3)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) Lithium has two naturally occurring isoto	pes, lithium-6 and lithium-7.	
A sample of lithium contains 7.59% of lithium-6 92.41% of lithium-7.		
Calculate the relative atomic mass of lithi	um in this sample.	
Give your answer to two decimal places. You must show your working.		
		(4)
	relative atomic mass of lithium =	

(Total for Question 4 = 10 marks)

DO NOT WRITE IN THIS AREA

AREA

DO NOT WRITE IN THIS

5 Calcium carbonate reacts with dilute hydrochloric acid to produce calcium chloride, water and carbon dioxide.

$$CaCO_3 + 2HCl \rightarrow CaCl_2 + H_2O + CO_2$$

(a) A student wanted to measure the amount of gas produced in two minutes.

The student suggested that this could be done by counting the number of bubbles formed.

However, the bubbles are produced too quickly to count them.

Figure 3 shows a conical flask in which the calcium carbonate and dilute hydrochloric acid are reacting.

Complete Figure 3 to show the apparatus that could be used to measure accurately the volume of gas given off in two minutes.

(2)




Figure 3

(b) The reaction between calcium carbonate and dilute hydrochloric acid is exothermic.

Explain, in terms of bond breaking and bond making, why some reactions are exothermic.

(3)



DO NOT WRITE IN THIS AREA

(6)

DO NOT WRITE IN THIS AREA

*(c) An investigation was carried out into the rate of reaction of calcium carbonate with dilute hydrochloric acid.

5.0g of small lumps of calcium carbonate were reacted with 50 cm³ of 0.50 mol dm⁻³ hydrochloric acid.

Another 5.0g of the same sized lumps of calcium carbonate were reacted with 50cm³ of 1.0 mol dm⁻³ hydrochloric acid.

The volume of gas collected in two minutes was recorded for each experiment.

The two experiments were then repeated, each using 5.0g of large lumps of calcium carbonate.

Figure 4 shows the results.

concentration of	volume of gas collected in cm ³			
hydrochloric acid in mol dm ⁻³	small lumps of calcium carbonate	large lumps of calcium carbonate		
0.50	17.2	3.1		
1.0	35.1	5.6		

Figure 4

Explain, in terms of collision of particles, how these results show the effect of the size of the lumps of calcium carbonate and the effect of the concentration of the acid on the rate of this reaction.

(-)

DO NOT WRITE IN THIS AREA

(Tatalfan Ouastian F. 44
(Total for Question 5 = 11 marks)



DO NOT WRITE IN THIS AREA

6	Fluorine, chlorine, bromine, iodine and astatine are elements in group 7. (a) Describe the test to show that a gas is chlorine.	(2)
	(b) Bromine reacts with hydrogen to form hydrogen bromide.	
	Hydrogen bromide dissolves in water to form a solution. State the name of the solution formed.	(1)
	(c) There is a trend in the colour and the state of the halogens at room temperature. Predict the colour and state of astatine at room temperature.	(2)
	colourstate	

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(d) Bromine, chlorine and iodine are dissolved in water to make aqueous solutions. Potassium iodide solution is added to each of these solutions.

Figure 5 shows the observations.

halogen	initial colour of aqueous solution	final colour of mixture
bromine	orange	brown
chlorine	pale green	brown
iodine	brown	brown

Figure 5

Explain the observations shown in the table.				
	(4)			
(e) Fluorine reacts vigorously with iron to produce iron(III) fluoride, FeF ₃ .				
Write the balanced equation for this reaction.	(0)			
	(2)			
(Total for Question	on 6 = 11 marks)			
TOTAL FOR PAPER = 60 MARKS				



The periodic table of the elements

œ)		
ζ.)		
4	-		
ď	þ		
	Г		
		_	I
		_	I
		~	
		_	
		_	1
			T
2		_	1
1 2			I

4 **He**lium 2

20 Red 10

19 19 19

40 argon 18

35.5 c chlorine chlorine 17

	16 O oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellunium 52	[209] Po polonium 84
	14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83
	12 carbon 6	28 Si silicon 14	73 Ge germanium 32	Sn ## 50	207 Pb lead 82
	11 B boron 5	27 AI aluminium 13	70 Ga gallium 31	115 In indium 49	204 T thallium 81
•			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80
			63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79
			59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78
			59 Co cobalt 27	103 Rh rhodium 45	192 Ir iridium 77
hydrogen 1			56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76
_			55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75
	Key relative atomic mass atomic symbol name atomic (proton) number		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74
Key			51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73
relativ ato i atomic (48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72	
			45 Sc scandium 21	89 Y yttrium 39	139 La * lanthanum 57
	9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barum 56
	7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55

84 **7** 84 36 36

80 **Br** bromine 35

Rn radon 86

[210] **At** astatine 85

131 xenon 54

127 -iodine 53

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.



^{*} The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.