

**0 2**

This question is about salts and electrolysis.

A student wants to make copper chloride crystals.

The student adds excess copper oxide to some hot acid.

The student stirs the mixture.

**0 2****1**

Which acid should the student use?

**[1 mark]**

Tick (✓) **one** box.

Hydrochloric acid

Nitric acid

Sulfuric acid

**0 2****2**

Suggest how the student would know that excess copper oxide has been added.

**[1 mark]**

---

---

**Question 2 continues on the next page**

**Turn over ►**

**0 2 . 3** There are four more stages, **A**, **B**, **C** and **D**, to make copper chloride crystals.

The stages **A**, **B**, **C** and **D** are not in the correct order.

Stage **A**                      Partially evaporate by heating with a water bath

Stage **B**                      Filter the mixture into an evaporating basin

Stage **C**                      Leave to crystallise

Stage **D**                      Remove and dry the crystals

Put stages **A**, **B**, **C** and **D** in the correct order.

**[2 marks]**

First stage                      \_\_\_\_\_

Second stage                      \_\_\_\_\_

Third stage                      \_\_\_\_\_

Fourth stage                      \_\_\_\_\_

**0 2 . 4** Molten copper chloride can be electrolysed.

State the product at each electrode when molten copper chloride is electrolysed.

**[2 marks]**

Negative electrode                      \_\_\_\_\_

Positive electrode                      \_\_\_\_\_




**0 2 . 5** A solution of copper chloride is electrolysed.

**Figure 3** shows a graph of the increase in mass of the negative electrode.

This increase is shown over a time of 10 minutes.

**Figure 3**



Calculate the gradient of the line in **Figure 3**.

Use the equation:

$$\text{Gradient} = \frac{\text{increase in mass in mg}}{\text{increase in time in minutes}}$$

**[3 marks]**

Increase in mass \_\_\_\_\_

\_\_\_\_\_

Increase in time \_\_\_\_\_

\_\_\_\_\_

Gradient \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Gradient = \_\_\_\_\_ mg per minute

**Turn over ►**



**0 2 . 6** Aluminium is produced by electrolysis of a molten mixture.

Complete the sentence.

Choose the answers from the box.

**[2 marks]**

**carbon    chloride    cryolite    oxide    sulfate    water**

The molten mixture contains \_\_\_\_\_ and  
aluminium \_\_\_\_\_.

11



Question	Answers	Extra information	Mark	AO / Spec.
02.1	hydrochloric acid		1	AO1 5.4.2.3
02.2	(black) solid remains (after stirring)	allow copper oxide remains allow no more copper oxide reacts	1	AO1 5.4.2.3
02.3	first stage <b>B</b> second stage <b>A</b> third stage <b>C</b> fourth stage <b>D</b>	all 4 correct for <b>2</b> marks  allow <b>1</b> mark if either first stage or fourth stage is correct	2	AO1 5.4.2.3
02.4	(negative electrode) copper  (positive electrode) chlorine	allow Cu  allow Cl <sub>2</sub> / Cl do <b>not</b> accept chloride or Cl <sup>-</sup>  if no other mark awarded allow <b>1</b> mark if elements are reversed	1  1	AO2 5.4.3.2

<b>02.5</b>	a reading of an increase in mass	} e.g. 4 (mg) in 10 (mins) scores 2 marks	1	AO2 5.4.3.4
	correct linked reading of the increase in time		1	
	correct evaluation of gradient	e.g. ( $\frac{4}{10} =$ ) 0.4 (mg per min)  allow correct calculation of gradient from incorrectly determined values for mass and/or time	1	
<b>02.6</b>	cryolite  oxide	this order only	1  1	AO1 5.4.3.3
<b>Total</b>			<b>11</b>	