Do not write outside the box

0 2 A radioactive source emits alpha, beta and gamma radiation.

0 2 . 1 An alpha particle is the same as a helium nucleus.

How many times bigger is the radius of a helium atom than the radius of an alpha particle?

[1 mark]

Tick (✓) **one** box.

- Less than 100 times bigger ☐
- Exactly 5000 times bigger ☐
- More than 10 000 times bigger ☐

0 2 . 2 Alpha particles can ionise atoms in the air.

What happens to an atom when it is ionised by an alpha particle?

[2 marks]

Tick (✓) **two** boxes.

- A neutron in the atom becomes a proton. ☐
- The atom becomes a positive ion. ☐
- The atom gains a neutron. ☐
- The atom gains a proton. ☐
- The atom loses an electron. ☐

Question 2 continues on the next page

Do not write outside the box

0 2 . 3 A spark detector is a device that can be used to detect alpha radiation.

A spark detector works by alpha particles ionising atoms in the air near a wire mesh.

A large potential difference creates a spark when the air near the wire mesh is ionised.

Suggest why a spark detector **cannot** detect beta radiation.

[1 mark]

Do not write outside the box

0 2 . 4 A teacher wants to demonstrate that the radioactive source emits alpha, beta and gamma radiation.

Figure 3 shows the equipment the teacher has.

Figure 3



Describe a method the teacher could use.

[6 marks]

____

____

____

____

____

____

____

____

____

____

____

____

10

Turn over ►

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	more than 10 000 times bigger		1	AO1 6.4.1.1
02.2	the atom becomes a positive ion the atom loses an electron		1 1	AO1 6.4.1.2
02.3	beta radiation is only weakly ionising		1	AO3 6.4.2.1

Question	Answers	Mark	AO / Spec. Ref.
02.4	**Level 3:** The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	5–6	AO3 6.4.2.1
	Level 2: The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3–4	
	Level 1: The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content • move the detector very close to the source • record the count rate • position the paper between the source and the detector • record the new count rate • alpha radiation will not penetrate through paper • if the count rate with the paper is (significantly) less than without then the source emits alpha radiation • remove the paper and position the aluminium between the source and the detector • record the new count rate • (alpha and) beta radiation will not penetrate through the aluminium • if the count rate has (significantly) reduced compared with using paper then beta radiation is present • if radiation penetrates through the aluminium then gamma radiation is present • the experiment should be repeated and mean results calculated because radioactivity is a random process To access level 3, the candidate must use the paper sheet, the aluminium sheet and no sheet, and describe how the results would indicate the presence of alpha, beta or gamma radiation.		

Total		**10**	